

INDEX MAPS.

T. 8 N. R. 13 E. 2nd Mer.

230	231	231				
233 6	237 5	238 4	3	2	1	
237	238	238				
233 7	237 8	238 9	10	11	12	
236	237					
232 18	236 17	16	15	14	13	
236	235					
232 19	235 20	21	22	23	24	
234	235					
232 30	234 29	28	27	26	25	
234	234					
231 31	233 32	33	34	35	36	
230	230					

T. 9 N. R. 13 E. 2nd Mer.

241	241	241	242			
244 6	251 5	252 4	252 3	2	1	
251	252	252				
244 7	251 8	250 9	10	11	12	
249	251	250				
243 18	249 17	249 16	15	14	13	
248	250	248				
243 19	248 20	248 21	22	23	24	
247	247	246				
243 30	247 29	246 28	27	26	25	
245	245	245				
242 31	245 32	245 33	34	35	36	
240	240	240				

The figures on the lines refer to the page.

ch. 9k? Township Lines.
South Boundary.

East On S. boundary of Sec. 31.

25.80 a Wh. Oak 22 in. diam.

140.00 Set gr. sec. post, from which
a Wh. Oak 8 in. dia. bears S 65 E. 14 lb. dist. }
a Do. 22 " " " N 65 W. 64 " "

62.36 a Bl. Oak 24 in. diam.

77.25 a Brook 12 lb. wide course S.

80.00 Set post cor. to Sec. 31 & 32, from wh.
a Wh. Oak 18 in. dia. bears N 76 W. 23 lb. dist. }

a Do. 20 " " " S 66 E. 24 " "

Land, varying. Timber: Oak Hickory
Poplar Beech &c.

East On S. boundary of Sec. 32.

1.70 a Wh. Oak 28 in. diam.

20.22 a Poplar 14 in. diam.

40.00 Set gr. sec. post, from which
a Wh. Oak 2 in. diam. bears N 20 E. 15 lb. dist. }
a Do. 10 " " " S 9 E. 20 " "

80.00 set post cor. of Sec. 32 & 33, from which
a Wh. Oak 11 in. dia. bears N 57 E. 15 lb. dist. }
a Wh. Oak = " " " S 61 W. 14 " "

Land, varying. Timber: Oak Hickory Poplar
Sugar Gum &c.

East On S. side of Sec. 33.

7.10 a stream 6 lb. wide course S.

13.52 a Wh. Oak 15 in. diam.

17.79 Intersect Boundary line and set a
post, from which
a Hickory 9 in. dia. bears S 22 W. 18 lb. dist. }
a Do. 9 " " " N 62 E. 18 " "

Land varying. Timber: Oak Hickory
Gum Sugar &c.

T. 9 N. R. 13 E. 2nd Ma. Indiana.

January 17th 1807.

Surveyed by John Brownson.

Deputy Surveyor.

North Boundary.

East On S. boundary of sec 31. T. 10 N. R. 13 E.
 8.50 a Wh. Oak 46 in. diam.
 9.66 a Poplar 18 in. diam.
 27.75 a stream 6 ft. wide e. course N. E.
 38.90 a Bl. Oak 32 in. diam.
 40.00 Set gr. sec. post, from which
 a Poplar 12 in. dia. bears N 70 E 7 1/2 bl. dist. 8
 a Bl. Gum 5 " " " N 67 W 9 " "
 45.14 a Wh. Oak 36 in. dia.
 46.00 a stream 10 ft. wide e. course N.
 74.31 a Poplar 18 in. diam.
 80.00 Set post cor. to Secs 31 & 32, from which
 a Hickory 7 in. dia. bears N 42 E 38 bl. dist. 8
 a Wh. Oak 42 " " " S 44 W 31 " "
 Land, level. Timber: Oak Hickory Poplar
 Maple Ash &c.

East On S. boundary of sec. 32. T. 10 N. R. 13 E.
 9.90 a Bl. Oak 17 in. diam.
 40.00 Set gr. sec. post, from which
 a Wh. Oak 36 in. dia. bears N 72 W 34 bl. dist. 8
 a Oak 8 " " " S 88 E 24 " "
 43.05 a stream 8 ft. wide course N.
 80.00 Set post cor. to Secs 32 & 33, from which
 a Wh. Oak 11 in. dia. bears N 47 W 12 bl. dist. 8
 a Do. 4 " " " S 73 E 27 " "
 Land, level. Timber: Oak, Poplar Hickory
 Undergrowth Hazel Dogwood & Spice.

East On S. boundary of sec. 33. T. 10 N. R. 13 E.
 .93 a Wh. ^{oak} 8 in. diam.

S. 9 N. No. 13 E. 2nd Mo. Indiana

- 16.10 a stream 6 ft. wide & course N.
 34.56 a Black 13 in. diam.
 40.00 Set gr. Sec. post, from which
 a Wh. Oak - in. dia. bears N 53 W 10 W dist.
 a Bl. Oak 18 " " " S 81 E 45 W. "
 63.84 a Do. 12 " "
 76.90 a Brook 15 ft. wide course N. W.
 80.00 Set post cor. to sec. 33 & 34, from wh.
 a Maple 9 in. dia. bears N 83 E. 9 W. dist.
 a Bl. Oak 18 " " " S 49 W 32 " "
 Land, waving. Timber: Oak, Hickory
 Ash, Poplar, &c. Undergrowth,
 Dogwood, Hazel, Spice &c.

East On S. side of sec. 34. S. 10 N. No. 13 E.

- 2.79 a Wh. Oak 14 in. diam.
 40.00 Set gr. Sec. post, from which
 a Bl. Oak 22 in. dia. bears East 22 W. dist.
 & a Maple 10 " " " N 63 W 32 " "
 9.43 Shuck Boundary line and set a
 post, from which
 a Wh. Oak 11 in. dia. bears N 61 W 11 W dist.
 a Bl. Do. 8 " " " S 55 E 20 " "
 Timber: Oak, Hickory &c. Land level.
 Surveyed in 1806

By John Brownson.
 Deputy Surveyor.

West Boundary.

Var. 5° 00' E.

North On E. side of sec. 36. S. 9 N. No. 12 E.

- 18.63 a Hickory 26 in. diam.
 40.00 Set gr. Sec. post, from which
 a Wh. Oak 16 in. dia. bears N 45 W 31 W dist.
 a Do. 30 " " " S 71 E 20 " "
 51.50 a Poplar 18 in. diam.

S. 9. N. Sec. 13 E. 2nd Sta. Indiana.

- 80.00 Set post Cor. of sec. 36 & 25, fr. which
a Bl. Gum 10 in. dia. beam, 182 ft. 32 ft. dith
a Poplar 10 " " " 160 ft. 3 ft. dith
Land, flat. Timber: Oak Hickory,
Beech, Poplar, Gum &c.

North On E. Side of Sec. 25. T. 9. N. R. 12. E.

- 25.40 a wh. Oak 18 in. diam.
40.01 Set gr. Sec. post from which
a Poplar 42 in dia. bears S 3 W 1/2 E. dist.
a Gum 9 " " " S 8 E. 26 " "
56.90 a Brook 18 ft. wide runs S. W.
60.54 a Poplar 36 in. diam.
80.00 Set post Cor. to Secs. 24 & 25, T. 25, R. 25, S. 25, E. 25.
a Bl. Oak 18 in. dia. bears S 35 E. 44 ft. &
a Do. 16 " " stands for Cor. post.
Land first half mile flat. Last half
waving. Timber: Oak Hickory Gum
Poplar &c.

North W. E. Side of Sec. 24. T. 9. N. R. 12. E.

- 27.59 a Wh. Oak 14 in. dia.
40.00 Set op. sec. post, from which
a Wh. Oak 18 in. dia, bears S 5 W. 17 lb. &
a Bl. Gum 7 " " " N 34 E. 26 "
51.28 a Wh. Oak 24 in. diam.
61.65 a Brook 15 lb. wide & course W.
80.00 Set post cor. to Secs. 13 & 14, from wh.
a Wh. Oak 16 in. diam. bears N 33 W. 20 lb.
a Wh. Oak 15 " " " S 8 W. 15 lb. dist.
Land, waiving. Limb. Oak, Hickory
Poplar &c.

North On E. Side of Sec. 13. T. 9. N. R. 12. E.

- 4.20 a steam & lbr. wide o. W.
18.50 a Wh. Oak 36 in. diam.

244

T. 9 N. R. 13 E. 2nd Mer. Indiana.

- 40.00 Set gr. sec. post, from which
a Poplar 9 in. dia. bears N 54 E, 18 lb. dist.)
a Do. 9 " " " West, 25 " "
- 61.23 a Wh. Oak 30 in. dia.
- 80.00 Set post cor. to sec. 12 & 13, from Wh.
an Ash 6 in. dia. bears N 15 1/2 E, 10 lb. dist.)
a Wh. Oak 16 in. dia. " S 59 W, 13 " "
Timb. Oak Hickory Maple Sugar.
&c. Land level.

- North On E. side of sec. 12, T. 9 N. R. 12 E.
- 23.50 a Poplar 11 in. dia.
- 40.00 Set gr. sec. post, from which
a Beech 13 in. dia. bears N 88 E, 13 lb. dist.)
a Poplar 6 in. " " N 75 W, 13 " "
- 65.45 a Wh. Oak 42 in. diam.
- 74.10 a stream 6 lb. wide runs W.
- 80.00 Set post cor. to sec. 1 & 12, from which
a Poplar 10 in. dia. bears N 74 W, 14 lb. dist.)
a Bl. Oak 36 " " " S 18 E, 19 " "
Land, level. Timb. Oak Hickory
Gum Beech Dogwood &c.

- North On E. side of sec. 1, T. 9 N. R. 12 E.
- 6.90 a stream 6 lb. wide course W.
- 23.75 a Gum 14 in. diam.
- 40.00 Set gr. sec. post, from which
a Wh. Oak 40 in. dia. bears N 82 W, 17 lb. dist.)
a Poplar 7 " " " N 83 E, 5 " "
- 71.16 a Bl. Oak 14 in. dia.
- 80.00 Set post corner of Townships N. 9
& 10 N. Ranges 12 & 13 E, from which
a Maple 11 in. dia. bears S 29 E, 2 lb. dist.)
a Do. 11 " " " N 32 W, 36 " "
Land, flat Timb. Oak, Maple
Beech, Gum &c with Poplar.

T. 9 N. R. 13 E. 2nd Mer. Ind.

Ch. W.

January 19th 1807.

Surveyed by John Brownson
Deputy Surveyor.

Subdivisions.

North Between sections 31 & 32.

50.00 a steam Ch. wide corner W.

40.00 set q. sec. post. from which

a Wh. Oak 36 in. dia. bears N 30 E. 23 Ch. dist.

a Gum 8 in. dia. " N 39 W. 21 " "

80.00 Set post cor. to sec. 29, 30, 31 & 32.

a Wh. Oak 36 in. dia. bears E. 9 Ch. dist.

a Do 6 " " " N 40 W. 30 Ch. dist.

Land level Oak Beech &c

West On Random between sections 30 & 31.

40.00 set temp. q. sec. post.

80.00 To the Post on the Range line
Land level. Oak Maple &c.

East Cornered line betwⁿ sec. 30 & 31.

40.00 set q. sec. post. from which

a Maple 18 in. dia. bears S 38 W. 12 Ch. dist.

a Gum 8 " " " N 45 E. 10 " "

80.00 sec. corner.

North Between sec. 32 & 33.

40.00 a Wh. Oak 40 in. dia. stands for q. post.

80.00 Set post cor. to sec. 28, 29, 32 & 33, from wh.

a Maple 12 in. dia. bears E. 14 Ch. dist. and

a Wh. Oak 3 in. dia. " N 40 W. 15 Ch. dist.

Land level. Timber: Oak Hickory &
Maple - soil cold 3rd rate.

West On Random between sec. 29 & 32.

40.00 set temp. q. sec. post.

246.

T. 9 N. R. 13 E. 2nd Mer. Ind. Co.

80.48 Intersect N. S. line at ^{Sho.} 26 ft. of post.

East Connect line between sec. 29 & 32.

40.24 Set gr. sec. post, from which
a Hickory 4 in. dia. bears S 88° W. 13 lb. dist. &
a Beech 4 " " " N. 9 lb. dist.

44.26 a W. Oak 16 in. diam.
Land, level. Timber: Oak, Hickory,
Maple Gum - soil cold good meadow
land.

East Between sections 28 & 33.

30.00 To the Old Indian Boundary
line & set a post, from which
a Bl. Oak 18 in. dia. bears S 30° W. 23 lb. dist.
a Hickory 16 " " " N. 31 lb. dist.
Land, 3rd rate. Timbered with
Oak, Hickory, Briers &c.

North Between Sec. 28 & 29.

30.41 a W. Oak 60 in. diam.

40.00 Set gr. sec. post, from which
a W. Oak 16 in. dia. bears West. 9 lb. dist.
& a W. Oak 16 " " " East 20 " "

80.00 Set post cor. of Sec. 20, 21, 28 & 29,
a Hickory 6 in. dia. bears N 40° E. 8 lb. dist. &
Land, level 3rd rate. Timber: Oak
and Hickory &c.

East Between sections 21 & 28.

40.00 Set gr. sec. post, from which
a Poplar 22 in. dia. bears East 14 lb. dist. &
a Hickory 12 " " " N 79° W. 25 " "

42.62 To the Indian Boundary line and
set a post, from which
a Gum 8 in. dia. bears N 45° W. 4 lb. dist. &

T. 9 N. R. 13 E. 2nd Mer. Ind.

ch. 1st. a Wh. Oak 18 in. diam. bears S 33 W. dist.

North Between Secs 29 & 30.

19.00 a stream 4 lb. wide course W.
40.00 Set gr. sec. post. for which
a Hickory 12 in. diam.

57.50 Enter Swamp of Willow & rose hark.

62.00 Cropped said Swamp.

80.00 Set post Cor. of Secs 19, 20, 29 & 30. fr. wh.
a Poplar 16 in. dia. bears S 50 E. 27 lb. dist. &
a Bl. Oak 28 " " " NW 1/4, 17 " "
Land, level. Surt. Oak, Hickory.

West On Ransom between Secs 19 & 30.

40.00 Set temp. y. gr. sec. post.

80.00 Intersect N & S line at post.

East Correct line between Secs 19 & 30.

16.50 a stream 4 lb. wide course S. W.

40.00 Set gr. sec. post. from which
a Black 14 in. dia. bears South 20 lb. dist. &
a Wh. Oak 14 in. " " NW 1/4, 25 " "

80.00 Section corner.

East On Ransom between Secs 20 & 29.

15.50 a stream 10 lb. wide course S.

40.00 Set temp. y. gr. sec. post.

80.00 Intersect N & S line 10 lb. S. of post.

West Correct line between Secs 20 & 29.

28.11 a Wh. Oak 36 in. diam. brush & briars.

40.00 Set gr. sec. post. from which
a Wh. Oak 18 in. dia. bears N 30 E. 21 lb. dist. &
a Wh. Oak 16 " " " S 26 E. 22 " "

80.00 Section corner.

Land, level 3/4 rate. Oak, Hickory &c.

S. 9 N. Sec. 13 E. 2nd Mer. Ind^a

North Between Section 19 & 20.

40.00 a Hickory Sapling 10 in. diam. stands
for the gr. sec. post

44.50 a Gum 14 in. dia.

80.00 Set post cor. of Sec. 17, 18, 19 & 20, fr. wh.
a Wh. Oak 36 in. dia. bearing West 19th N. dist. &

a Do. 24 " " " " " " " " " " " "
Land level 3rd rate. Timber Oak -
- Brins &c.

West On Random between Sec. 18 & 19.

40.00 Set temp. y. gr. sec. post.

80.00 Intersect N & S line 11th N. of post.

East Correct line between Sec. 18 & 19.

40.00 Set gr. sec. post, from which
a Hickory 8 in. dia. bearing N 60 W. 7th N. dist. &
a Do. 10 " " " " South 33 " "

41.00 a stream 10th N. wide & course S. W.

80.00 Set post cor. to Sec. 2 at section corner.
Land level. Timber Beech. Oak &c.
- Brush and vines - 3rd rate.

North Between sections 20 & 21.

40.00 Set gr. sec. post, from which
a Dogwood 4 in. dia. bearing S 87 W. 20th N. dist. &
a Maple 12 in. dia. bearing S 10 E. 22 " "

80.00 Set post cor. to Sec. 16, 17, 20 & 21, fr. wh.
a Hickory 6 in. dia. bearing South 4th N. dist. &

a White Oak 40 " " " " " " " " " " " "
Land level Timber Oak, Hickory &c.
Much Brush and vines. 3rd rate.

East Between Sec. 16 & 21.

23.50 a stream 6th N. wide & course S. E.

40.00 Set gr. sec. post, from which

S. J. N. & Co. 13 E. 2nd Mer. Ind^a

Ch^a Sh^a a Poplar 12 in. dia. bear. N 45 E, 5 lb. dist. &
 a Hickory 10 " " " S 20 E, 14 " "
 54.64 To the Indian Boundary line &
 set post, from which
 a Bl. Oak 18 in. dia. bear. S 80 W, 25 lb. dist. &
 a Maple 8 " " " North, 11 " "
 Timber Oak Hickory Maple Gum
 Land, level.

North Between Sections 16 & 17.

40.00 set gr. sec. post, from which
 a Bl. Oak 10 in. dia. bear. S 30 W, 20 lb. dist. &
 a Wh. Do. = " " " East 44 " "
 80.00 a Maple 6 in. diam. stands for
 post cor. to sec. 8, 9, 16 & 17.
 Land, level. Timber, Oak, Maple
 Elm &c. with brush & briars - soil
 cold - 3 $\frac{1}{2}$ rate.

North Between Sections 17 & 18.

37.50 a stream 10 lb. wide runs E.
 40.00 set gr. sec. post, from which
 a quaking Asp 12 in. dia. bear. N 20 W, 7 lb. &
 a Bl. Oak 14 in. dia. bear. East, 21 lb. dist.
 80.00 an Elm 18 " " " stands for cor.
 to Sec. 7, 8, 17 & 18,
 Land, level Oak, Hickory - briars
 and brush

West on Rand^{er} between Sections 7 & 18.

40.00 set temp. gr. sec. post.
 79.00 Intersect. N 4 E. line 29 lb. S. of post.

East correct line between sec. 7 & 18.

39.50 set gr. sec. post, from which
 a Wh. Oak 20 in. dia. bear. West 7 lb. dist. &

250

T. 9 N. R. 13 E. 2nd Mer. Indiana.

Ch². Sh². a Wh. Oak 4 in. dia. bears N 45 W 6 lb. dist. X
79.00 To the post cor. to Sec. where
an Elm 18 in. diam. stands for cor.
Land level. Timber: Oak, Hickory &
Dogwood - brush & briars. 3rd rate.
This corner stands on the bank of
a water course 8 lb. wide course S. 10 E.

East Between Secs. N^o. 17 & 20.

40.00 Set gr. sec. post, from which
a Gum 12 in. diam. bears N 45 W. 17 lb. dist.
a Gum 10 " " " S 60 E. 23 " "
80.00 To post cor. to Secs. 16, 17, 20 & 21.
Land level, 3rd rate - brush & briars.

East Between Sections 9 & 16.

40.00 Set gr. sec. post, from which
a Hickory 36 in. dia. bears S 80 W. 14 lb. dist. X
a Maple 8 " " " N 62 E. 15 " "
66.13 To the Indian Boundary line and
set a post, from which
a Wh. Oak 22 in. diam. bears North, 12 lb. dist. X
a Maple 10 " " " S 20 W. 20 " "
Land level. Timber, Oak & Hickory.
brush & briars - 3rd rate.

North Between Sections 8 & 9.

40.00 Set gr. sec. post, from which
a Wh. Oak 12 in. dia. bears S 46 W. 40 lb. dist. X
a Ditto 10 " " " East, 20 " "
80.00 Set post cor. to Sec 4, 5, 8 & 9. from which
a W. - 18 in. dia. bears N 30 E. 24 lb. dist. and
a Wh. Oak 18 " " " S 40 E. 24 " "
Land level. Timber: Oak, Hickory.
soil cold - 3rd rate.

T. 9 N. R. 13 E. 2nd Mer. Indiana.

West Between sections 8 & 17.

40.38 Set gr. sec. post, from which
a Maple 18 in. dia. bears North 6 lks. dist. X
a wh. Oak 6 " " " South 4 " "

80.76 To the post cor. of sec. 7, 8, 17 & 18.

Land, level. Timber, Oak & Hickory.
Much Hazel & briers — 3 $\frac{1}{2}$ rate.

North Between sec. 7 & 8.

40.00 Set gr. sec. post, from which
a Poplar 1 in. dia. bears S 10 E. 12 lks. dist. X
a wh. Oak 40 in. " " N 12 W. 21 " "80.00 Set post cor. to sec. 5, 6, 7 & 8, from which
a Dogwood 3 in. dia. bears S 30 W. 27 lks. dist. X
a Hickory 12 " " " N 39 E. 18 " "Timber, Oak & Hickory. Land, level.
Much Hazel & briers — soil thin 3 $\frac{1}{2}$ rate.

East An Mound between sec. 6 & 7.

40.00 Set temp. 4. gr. sec. post.

80.11 Intersect N & S. line of sec. 100 lks. N. of Post.

West Correct line between sec. 6 & 7.

40.05 Set gr. sec. post, from which
a Gum 8 in. dia. bears N 15 E. 20 lks. dist. X
a wh. Oak 24 in. " " S 50 W. 4 lks. dist.

80.11 Section corner.

Land, level Timber, Oak & Hickory.
3 $\frac{1}{2}$ rate.

North Between sec. 5 & 6.

40.00 a Gum 3 in. diam. stands for post.

81.17 Intersect N. Boundary at post.

Land, level. Timber, Black & wh.
Oak, Hickory & briers — 3 $\frac{1}{2}$ rate.

253

T. T. N. Sec. 13 E. 2nd Mer. Ind^a

East On Random betwⁿ sec. 5 & 8.

40.00 Set temp^g gr. sec. post.

80.00 Intersect N & S. line 20 lks. S of post.

West Correct line between sec. 5 & 8.

40.00 Set gr. sec. post. for which
a Maple 10 in. diam.

44.13 a Wh. Oak 16 in. dia.

80.00 To Section Corner.

This mile level. Timber: Oak,
and Hickory - Green briars &c.
3rd rate.

North Between Sections 4 & 5.

40.00 set gr. sec. post. from which
a Dogwood 3 in. diam. bears N 45 E, 12 lks.

& a Hickory 5 " " " S 50 W 13 in. dt.

79.40 To the N. Boundary 25 lks. E. of post.

a Wh. Oak 5 in. diam. for post.

Land, level, Timber, Oak, Hickory,
briars &c. 3rd rate.

South Between sections 3 & 4.

25.00 a stream 8 lks. wide course E.

40.00 Set gr. sec. post. from which

a Sapash 6 in. dia. bears North 2 lks. dt.

& no other tree given -

80.00 No Boundary to be found.

Land, level. Timber Oak Hick-
ory &c. plenty of briars - 3rd rate.

East Between Secs. 4 & 9.

40.00 Set gr. sec. post.

(Nothing further said.)

80.00 No Indian Boundary line to be
found.

T. 9. N. R. 13 E. 2nd Mer. Indiana.

Land, level. Timber: Oak & Hickory
Briars &c. 3rd rate.

Surveyed in 1806.

By Stephen Lindlow
Deputy Surveyor.

I Certify that the foregoing transcripts of
field notes of fractional Township N. 9.
North in Range N. 13 East of the 2nd
Principal Meridian, Indiana, has been
compared with the Original in this Office
and found to be correct.

Surveyor General's Office
Detroit Nov. 1. 1849.

Lucius Lyon
S. Genl.